

FOR IMMEDIATE RELEASE

Viessmann Manufacturing
Company Inc.
Jamie McBride
Tel. 1-800-387-7373
McrJ@viessmann.com
www.viessmann.ca

Viessmann Manufacturing
Company (U.S.) Inc.
Dr. Michael Luz
Tel. 1-800-288-0667
DrLMc@viessmann.com
www.viessmann.us

Vitodens 222-F, B2TA boiler combines Viessmann condensing technology and innovative DHW solution in compact, floor standing design

With the new Vitodens 222-F, B2TA gas-fired condensing boiler, Viessmann introduces an ideal space-saving option for new installations and a smart upgrade for outdated boiler and domestic hot water (DHW) storage systems. Its compact, floor standing design offers an economical space heating and DHW solution for homes with moderate heating loads.

Available in two sizes with inputs from 12 to 125 MBH, the Vitodens 222-F, B2TA incorporates the proven technology of the Viessmann stainless steel Inox-Radial heat exchanger and MatriX cylinder burner for maximum heat extraction and outstanding reliability. The intelligent Lambda Pro combustion management system automatically adapts combustion to changing gas qualities for optimal performance at all times.

The Vitodens 222-F, B2TA utilizes advanced Storage Tank Loading System technology (comprised of a plate heat exchanger, DHW loading pump and 26 USG stainless steel storage tank) to deliver a reliable and efficient DHW supply equivalent to that of a larger tank. Both sizes of the Vitodens 222-F, B2TA can maintain a continuous DHW draw of 3.3 GPM, while the larger B2TA-35 model can also support a 10-minute peak flow of 60 USG.

An intuitive, Viessmann-made Vitotronic 200, HO1B control manages the entire heating system and ensures economical performance and maximum comfort in residential or commercial installations. It features a straightforward, menu-driven interface with multi-line text and graphics on a backlit display for excellent readability under poor lighting conditions. An outdoor reset function automatically adapts the boiler operating temperature to changing outdoor temperatures, reducing fuel consumption up to 15%. With system control for multiple zone space and DHW heating, the Vitotronic 200, HO1B offers numerous programming configurations without additional external controls.

For maximum installation flexibility, the Vitodens 222-F, B2TA offers multiple venting options with vent lengths up to 180 feet and can be configured for high-altitude installations up to 10,000 feet with simple electronic adjustment.

The Vitodens 222-F, B2TA is now available through Viessmann Wholesale Partners across the United States and Canada. Visit www.viessmann.us or www.viessmann.ca for more information.

The Viessmann Group is one of the leading international manufacturers of heating systems. Founded in 1917, the family business maintains a staff of approximately 10,600 employees and generates 1.89 billion Euro in annual group turnover. With 27 production divisions in 11 countries, subsidiaries and representation in 74 countries and 120 sales offices around the world, Viessmann is an internationally oriented company. For additional information, please contact the Viessmann offices in Waterloo, Ontario, Canada or Warwick, Rhode Island, U.S.A.

Waterloo, August 2013